



FOR RESIDENTIAL  
& COMMERCIAL  
INSTALLATIONS

 **WPG**

**CATALOGUE**

Premium Quality Products

**KEWARM PTY LTD**  
[www.kewarm.com.au](http://www.kewarm.com.au)





# CONTENTS

**01** CONCEALED CEILING

**02** TCR ACCESSORIES

**03** CEILING BATTEN ACCESSORIES

**03** FURRING CHANNEL ACCESSORIES

**05** STEEL STUDS

**07** FINISHING SECTIONS

**11** MISC

For residential & commercial installations


## CONCEALED CEILING




Code	Description	Length(mm)
CWPG-TCR36	TOP CROSS RAIL (Main Bar)	3600
CWPG-TCR48	TOP CROSS RAIL (Main Bar)	4800




Code	Description	Length(mm)
CWPG-CB1660	CEILING BATTEN 16mm	6000



Code	Description	Length(mm)
CWPG-FC1630	FURRING CHANNEL 16mm	3000
CWPG-FC1636	FURRING CHANNEL 16mm	3600
CWPG-FC1648	FURRING CHANNEL 16mm	4800
CWPG-FC1660	FURRING CHANNEL 16mm	6000



Code	Description	Length(mm)
CWPG-FC2830	FURRING CHANNEL 28mm	3000
CWPG-FC2836	FURRING CHANNEL 28mm	3600
CWPG-FC2848	FURRING CHANNEL 28mm	4800
CWPG-FC2860	FURRING CHANNEL 28mm	6000



Code	Description	Length(mm)
CWPG-FCT1630	FURRING CHANNEL TRACK 16mm(C-CHANNEL)	3000
CWPG-FCT2830	FURRING CHANNEL TRACK 28mm(C-CHANNEL)	3000

For residential & commercial installations

## TCR ACCESSORIES




Code	Description
CWPG-SMTC	SUSPENSION CLIP SIDE MOUNTED TCR



Code	Description
CWPG-TC	SUSPENSION CLIP TOP CROSS RAIL



Code	Description	Length(mm)
CWPG-SRSG536	SUSPENSION ROD SOFT GALVANASIED 5mm	3600



Code	Description
CWPG-SRBA	SUSPENSION ROD BRACKET ANGLE



Code	Description
CWPG-SRBP	SUSPENSION ROD BRACKET PLAIN

For residential & commercial installations

## CEILING BATTEN ACCESSORIES



Code	Description
CWPG-DFS	CEILING BATTEN CLIP DIRECT FIX 36 SMALL - 92mm(H) x 40mm (W)



Code	Description
CWPG-DFL	CEILING BATTEN CLIP DIRECT FIX 36 LARGE - 150mm(H) x 40mm (W)

## FURRING CHANNEL ACCESSORIES



Code	Description
CWPG-LK	LOCKING KEY FOR TOP CROSS RAIL



Code	Description
CWPG-BFCS	FURRING CHANNEL CLIP BETA FIX CLIP SHORT- (BG01)



Code	Description
CWPG-BFCL	FURRING CHANNEL CLIP BETA FIX CLIP LONG - (BG02)



## For residential & commercial installations



Code	Description
CWPG-ACS	FURRING CHANNEL CLIP FC-DFC "A" CLIP - 75MM - SHORT (226)



Code	Description
CWPG-ACL	FURRING CHANNEL CLIP FC-DFC "A" CLIP -175MM - LONG (394)



Code	Description
CWPG-ADFRB	RESILIENT MOUNT CLIP ADJUSTABLE DIRECT FIX RESILIENT BLACK



Code	Description
CWPG-ADFRR	RESILIENT MOUNT CLIP ADJUSTABLE DIRECT FIX RESILIENT RED



Code	Description
CWPG-ADFMBF	RESILIENT MOUNT CLIP ADJUSTABLE DIRECT FIX MBF



Code	Description
CWPG-CRMR	RESILIENT MOUNT CLIP CONCRETE RESILIENT MOUNT RED -ACOUSTIC ISO DFC TO SUIT FC

For residential & commercial installations

## STEEL STUD



Code	Description	Length(mm)
CWPG-S5130055	STUD 51mm × 0.55 BMT	3000
CWPG-S5136055	STUD 51mm × 0.55 BMT	3600
CWPG-S6430055	STUD 64mm × 0.55 BMT	3000
CWPG-S6436055	STUD 64mm × 0.55 BMT	3600
CWPG-S7630055	STUD 76mm × 0.55 BMT	3000
CWPG-S7636055	STUD 76mm × 0.55 BMT	3600
CWPG-S9230055	STUD 92mm × 0.55 BMT	3000
CWPG-S9236055	STUD 92mm × 0.55 BMT	3600
CWPG-S6430075	STUD 64mm × 0.75 BMT	3000
CWPG-S6436075	STUD 64mm × 0.75 BMT	3600
CWPG-S7630075	STUD 76mm × 0.75 BMT	3000
CWPG-S7636075	STUD 76mm × 0.75 BMT	3600
CWPG-S9230075	STUD 92mm × 0.75 BMT	3000
CWPG-S9236075	STUD 92mm × 0.75 BMT	3600
CWPG-S6430115	STUD 64mm × 1.15 BMT	3000
CWPG-S6436115	STUD 64mm × 1.15 BMT	3600
CWPG-S7630115	STUD 76mm × 1.15 BMT	3000
CWPG-S7636115	STUD 76mm × 1.15 BMT	3600
CWPG-S9230115	STUD 92mm × 1.15 BMT	3000
CWPG-S9236115	STUD 92mm × 1.15 BMT	3600

## For residential & commercial installations



Code	Description	Length(mm)
CWPG-T5130055	TRACK 51mm × 0.55 BMT	3000
CWPG-T6430055	TRACK 64mm × 0.55 BMT	3000
CWPG-T7630055	TRACK 76mm × 0.55 BMT	3000
CWPG-T9230055	TRACK 92mm × 0.55 BMT	3000
CWPG-T5130075	TRACK 51mm × 0.75 BMT	3000
CWPG-T6430075	TRACK 64mm × 0.75 BMT	3000
CWPG-T7630075	TRACK 76mm × 0.75 BMT	3000
CWPG-T9230075	TRACK 92mm × 0.75 BMT	3000
CWPG-T5130115	TRACK 51mm × 1.15 BMT	3000
CWPG-T6430115	TRACK 64mm × 1.15 BMT	3000
CWPG-T7630115	TRACK 76mm × 1.15 BMT	3000
CWPG-T9230115	TRACK 92mm × 1.15 BMT	3000



Code	Description	Length(mm)
CWPG-NT643007545	NOGGING TRACK 64mm x 0.75 BMT 450mm CENTRES	3000
CWPG-NT643007560	NOGGING TRACK 64mm x 0.75 BMT 600mm CENTRES	3000
CWPG-NT763007545	NOGGING TRACK 76mm x 0.75 BMT 450mm CENTRES	3000
CWPG-NT763007560	NOGGING TRACK 76mm x 0.75 BMT 600mm CENTRES	3000
CWPG-NT923007545	NOGGING TRACK 92mm x 0.75 BMT 450mm CENTRES	3000
CWPG-NT923007560	NOGGING TRACK 92mm x 0.75 BMT 600mm CENTRES	3000



## For residential & commercial installations



Code	Description	Length(mm)
CWPG-QS9230	QUIET STUD 92mm	3000




Code	Description	Length(mm)
CWPG-DT6430055	DEFLECTION HEAD TRACK 0.55BMT 64mm	3000
CWPG-DT7630055	DEFLECTION HEAD TRACK 0.55BMT 76mm	3000
CWPG-DT9230055	DEFLECTION HEAD TRACK 0.55BMT 92mm	3000
CWPG-DT6430075	DEFLECTION HEAD TRACK 0.75BMT 64mm	3000
CWPG-DT7630075	DEFLECTION HEAD TRACK 0.75BMT 76mm	3000
CWPG-DT9230075	DEFLECTION HEAD TRACK 0.75BMT 92mm	3000
CWPG-DT9230115	DEFLECTION HEAD TRACK 1.15 BMT 92mm	3000




Code	Description	Length(mm)
CWPG-CB254855	CAVITY BATTEN 25mm x 0.55mm	4800
CWPG-CB354855	CAVITY BATTEN 35mm x 0.55mm	4800

## FINISHING SECTIONS




Code	Description	Length(mm)
CWPG-EA9024	90 ° EXTERNAL ANGLE -CORNER BEAD	2400
CWPG-EA9025	90 ° EXTERNAL ANGLE -CORNER BEAD	2550
CWPG-EA9027	90 ° EXTERNAL ANGLE -CORNER BEAD	2700
CWPG-EA9030	90 ° EXTERNAL ANGLE -CORNER BEAD	3000
CWPG-EA9036	90 ° EXTERNAL ANGLE -CORNER BEAD	3600

## For residential & commercial installations



Code	Description	Length(mm)
CWPG-EA13530	135 °EXTERNAL ANGLE -CORNER BEAD	3000




Code	Description	Length(mm)
CWPG-IA9030	90 °INTERNAL ANGLE -CORNER BEAD	3000



Code	Description	Length(mm)
CWPG-IA13530	135 ° INTERNAL ANGLE -CORNER BEAD	3000




Code	Description	Length(mm)
CWPG-BA5024	ANGLE 50 x 50mm x1.15mm (Bulk Head)	2400
CWPG-BA5030	ANGLE 50mm x 50mm x 0.75mm (Bulk Head)	3000
CWPG-BA5036	ANGLE 50mm x 50mm x 0.75mm (Bulk Head)	3600
CWPG-HAG7533	ANGLE 75mm x 75mm x 3mm (Bulk Head)	3000



Code	Description	Length(mm)
CWPG-LBSA1030	L/B STOPPING ANGLE 10mm	3000
CWPG-LBSA1330	L/B STOPPING ANGLE 13mm	3000
CWPG-LBSA1630	L/B STOPPING ANGLE 16mm	3000
CWPG-LBSA3030	L/B STOPPING ANGLE 32mm	3000


For residential & commercial installations




Code	Description	Length(mm)
CWPG-SB1030	STOPPING BEAD 10mm	3000
CWPG-SB1330	STOPPING BEAD 13mm	3000
CWPG-SB1630	STOPPING BEAD 16mm	3000



Code	Description	Length(mm)
CWPG-CB1030	CASING BEAD 10mm	3000
CWPG-CB1330	CASING BEAD 13mm	3000
CWPG-CB1630	CASING BEAD 16mm	3000



Code	Description	Length(mm)
CWPG-SLSA30	ANGLE STOPPING SHADOWLINE (P50)	3000



Code	Description	Length(mm)
CWPG-RB2530	REVEAL BEAD 25mm	3000
CWPG-RB2536	REVEAL BEAD 25mm	3600
CWPG-RB3030	REVEAL BEAD 30mm	3000
CWPG-RB3036	REVEAL BEAD 30mm	3600
CWPG-RB3530	REVEAL BEAD 35mm	3000
CWPG-RB3536	REVEAL BEAD 35mm	3600
CWPG-RB4030	REVEAL BEAD 40mm	3000
CWPG-RB4036	REVEAL BEAD 40mm	3600
CWPG-RB4530	REVEAL BEAD 45mm	3000
CWPG-RB4536	REVEAL BEAD 45mm	3600



## For residential & commercial installations



Code	Description	Length(mm)
CWPG-RB5030	REVEAL BEAD 50mm	3000
CWPG-RB5036	REVEAL BEAD 50mm	3600
CWPG-RB6030	REVEAL BEAD 60mm	3000
CWPG-RB6036	REVEAL BEAD 60mm	3600
CWPG-RB6530	REVEAL BEAD 65mm	3000
CWPG-RB6536	REVEAL BEAD 65mm	3600
CWPG-RB7030	REVEAL BEAD 70mm	3000
CWPG-RB7036	REVEAL BEAD 70mm	3600
CWPG-RB7530	REVEAL BEAD 75mm	3000
CWPG-RB7536	REVEAL BEAD 75mm	3600
CWPG-RB8030	REVEAL BEAD 80mm	3000
CWPG-RB8036	REVEAL BEAD 80mm	3600
CWPG-RB8530	REVEAL BEAD 85mm	3000
CWPG-RB8536	REVEAL BEAD 85mm	3600
CWPG-RB9030	REVEAL BEAD 90mm	3000
CWPG-RB9036	REVEAL BEAD 90mm	3600
CWPG-RB10030	REVEAL BEAD 100mm	3000
CWPG-RB10036	REVEAL BEAD 100mm	3600
CWPG-RB11030	REVEAL BEAD 110mm	3000
CWPG-RB11036	REVEAL BEAD 110mm	3600
CWPG-RB12030	REVEAL BEAD 120mm	3000
CWPG-RB12036	REVEAL BEAD 120mm	3600

## For residential & commercial installations



Code	Description
CWPG-AP30S	ACCESS PANEL 300 x 300mm SET BEAD METAL FACE DOOR
CWPG-AP45S	ACCESS PANEL 450 x 450mm SET BEAD METAL FACE DOOR
CWPG-AP60S	ACCESS PANEL 600 x 600mm SET BEAD METAL FACE DOOR



Code	Description
CWPG-AP45F	ACCESS PANEL SRAP-FLANGED SURROUND FEATHERED EDGE 450mm
CWPG-AP60F	ACCESS PANEL SRAP-FLANGED SURROUND FEATHERED EDGE 600mm

## MISC



Code	Description	Length(mm)
CWPG-TH50254875	TOP HAT 50mm x 25mm x 0.75mm	4800
CWPG-TH50504875	TOP HAT 50mm x 50mm x 0.75mm	4800
CWPG-TH502536	TOP HAT 50mm x 25mm x 1.15mm	3600
CWPG-TH505036	TOP HAT 50mm x 50mm x 1.15mm	3600





**DISTRIBUTOR:** 

## MELBOURNE BRANCH

- 📍 F2/272-284 FRANKSTON DANDENONG ROAD  
DANDENONG SOUTH, VIC 3175
- 📞 MOBILE 0438 657 369
- ✉ Email: [sales@abctradeoutlet.com.au](mailto:sales@abctradeoutlet.com.au)

## BRISBANE BRANCH

- 📍 2/175 JACKSON ROAD  
SUNNYBANK HILLS, QLD 4109
- 📞 MOBILE 0411 923 615
- ✉ Email: [brisbane@abctradeoutlet.com.au](mailto:brisbane@abctradeoutlet.com.au)

**KEWARM PTY LTD**

Office: F2/272-284 Frankston Dandenong Road, Dandenong South, VIC 3175  
Email: [info@kewarm.com.au](mailto:info@kewarm.com.au)