



FOR RESIDENTIAL
& COMMERCIAL
INSTALLATIONS

 **WPG**

CATALOGUE

Premium Quality Products

KEWARM PTY LTD
www.kewarm.com.au



CONTENTS

01 CONCEALED CEILING

02 TCR ACCESSORIES

03 CEILING BATTEN ACCESSORIES

03 FURRING CHANNEL ACCESSORIES

05 STEEL STUDS

07 FINISHING SECTIONS

11 MISC

For residential & commercial installations


CONCEALED CEILING



Code	Description	Length(mm)
CWPG-TCR36	TOP CROSS RAIL (Main Bar)	3600
CWPG-TCR48	TOP CROSS RAIL (Main Bar)	4800



Code	Description	Length(mm)
CWPG-CB1660	CEILING BATTEN 16mm	6000



Code	Description	Length(mm)
CWPG-FC1630	FURRING CHANNEL 16mm	3000
CWPG-FC1636	FURRING CHANNEL 16mm	3600
CWPG-FC1648	FURRING CHANNEL 16mm	4800
CWPG-FC1660	FURRING CHANNEL 16mm	6000



Code	Description	Length(mm)
CWPG-FC2830	FURRING CHANNEL 28mm	3000
CWPG-FC2836	FURRING CHANNEL 28mm	3600
CWPG-FC2848	FURRING CHANNEL 28mm	4800
CWPG-FC2860	FURRING CHANNEL 28mm	6000



Code	Description	Length(mm)
CWPG-FCT1630	FURRING CHANNEL TRACK 16mm(C-CHANNEL)	3000
CWPG-FCT2830	FURRING CHANNEL TRACK 28mm(C-CHANNEL)	3000

For residential & commercial installations

TCR ACCESSORIES




Code	Description
CWPG-SMTC	SUSPENSION CLIP SIDE MOUNTED TCR



Code	Description
CWPG-TC	SUSPENSION CLIP TOP CROSS RAIL



Code	Description	Length(mm)
CWPG-SRSG536	SUSPENSION ROD SOFT GALVANNEAL 5mm	3600



Code	Description
CWPG-SRBA	SUSPENSION ROD BRACKET ANGLE



Code	Description
CWPG-SRBP	SUSPENSION ROD BRACKET PLAIN

For residential & commercial installations

CEILING BATTEN ACCESSORIES



Code	Description
CWPG-DFS	CEILING BATTEN CLIP DIRECT FIX 36 SMALL - 92mm(H) x 40mm (W)



Code	Description
CWPG-DFL	CEILING BATTEN CLIP DIRECT FIX 36 LARGE - 150mm(H) x 40mm (W)

FURRING CHANNEL ACCESSORIES



Code	Description
CWPG-LK	LOCKING KEY FOR TOP CROSS RAIL



Code	Description
CWPG-BFCS	FURRING CHANNEL CLIP BETA FIX CLIP SHORT- (BG01)



Code	Description
CWPG-BFCL	FURRING CHANNEL CLIP BETA FIX CLIP LONG - (BG02)

For residential & commercial installations




Code	Description
CWPG-ACS	FURRING CHANNEL CLIP FC-DFC "A" CLIP - 75MM - SHORT (226)



Code	Description
CWPG-ACL	FURRING CHANNEL CLIP FC-DFC "A" CLIP -175MM - LONG (394)




Code	Description
CWPG-ADFRB	RESILIENT MOUNT CLIP ADJUSTABLE DIRECT FIX RESILIENT BLACK



Code	Description
CWPG-ADFRR	RESILIENT MOUNT CLIP ADJUSTABLE DIRECT FIX RESILIENT RED



Code	Description
CWPG-ADFMBF	RESILIENT MOUNT CLIP ADJUSTABLE DIRECT FIX MBF



Code	Description
CWPG-CRMR	RESILIENT MOUNT CLIP CONCRETE RESILIENT MOUNT RED -ACOUSTIC ISO DFC TO SUIT FC


For residential & commercial installations

STEEL STUD



Code	Description	Length(mm)
CWPG-S5130055	STUD 51mm × 0.55 BMT	3000
CWPG-S5136055	STUD 51mm × 0.55 BMT	3600
CWPG-S6430055	STUD 64mm × 0.55 BMT	3000
CWPG-S6436055	STUD 64mm × 0.55 BMT	3600
CWPG-S7630055	STUD 76mm × 0.55 BMT	3000
CWPG-S7636055	STUD 76mm × 0.55 BMT	3600
CWPG-S9230055	STUD 92mm × 0.55 BMT	3000
CWPG-S9236055	STUD 92mm × 0.55 BMT	3600
CWPG-S6430075	STUD 64mm × 0.75 BMT	3000
CWPG-S6436075	STUD 64mm × 0.75 BMT	3600
CWPG-S7630075	STUD 76mm × 0.75 BMT	3000
CWPG-S7636075	STUD 76mm × 0.75 BMT	3600
CWPG-S9230075	STUD 92mm × 0.75 BMT	3000
CWPG-S9236075	STUD 92mm × 0.75 BMT	3600
CWPG-S6430115	STUD 64mm × 1.15 BMT	3000
CWPG-S6436115	STUD 64mm × 1.15 BMT	3600
CWPG-S7630115	STUD 76mm × 1.15 BMT	3000
CWPG-S7636115	STUD 76mm × 1.15 BMT	3600
CWPG-S9230115	STUD 92mm × 1.15 BMT	3000
CWPG-S9236115	STUD 92mm × 1.15 BMT	3600

For residential & commercial installations




Code	Description	Length(mm)
CWPG-T5130055	TRACK 51mm × 0.55 BMT	3000
CWPG-T6430055	TRACK 64mm × 0.55 BMT	3000
CWPG-T7630055	TRACK 76mm × 0.55 BMT	3000
CWPG-T9230055	TRACK 92mm × 0.55 BMT	3000
CWPG-T5130075	TRACK 51mm × 0.75 BMT	3000
CWPG-T6430075	TRACK 64mm × 0.75 BMT	3000
CWPG-T7630075	TRACK 76mm × 0.75 BMT	3000
CWPG-T9230075	TRACK 92mm × 0.75 BMT	3000
CWPG-T5130115	TRACK 51mm × 1.15 BMT	3000
CWPG-T6430115	TRACK 64mm × 1.15 BMT	3000
CWPG-T7630115	TRACK 76mm × 1.15 BMT	3000
CWPG-T9230115	TRACK 92mm × 1.15 BMT	3000



Code	Description	Length(mm)
CWPG-NT643007545	NOGGING TRACK 64mm x 0.75 BMT 450mm CENTRES	3000
CWPG-NT643007560	NOGGING TRACK 64mm x 0.75 BMT 600mm CENTRES	3000
CWPG-NT763007545	NOGGING TRACK 76mm x 0.75 BMT 450mm CENTRES	3000
CWPG-NT763007560	NOGGING TRACK 76mm x 0.75 BMT 600mm CENTRES	3000
CWPG-NT923007545	NOGGING TRACK 92mm x 0.75 BMT 450mm CENTRES	3000
CWPG-NT923007560	NOGGING TRACK 92mm x 0.75 BMT 600mm CENTRES	3000

For residential & commercial installations



Code	Description	Length(mm)
CWPG-QS9230	QUIET STUD 92mm	3000



Code	Description	Length(mm)
CWPG-DT6430055	DEFLECTION HEAD TRACK 0.55BMT 64mm	3000
CWPG-DT7630055	DEFLECTION HEAD TRACK 0.55BMT 76mm	3000
CWPG-DT9230055	DEFLECTION HEAD TRACK 0.55BMT 92mm	3000
CWPG-DT6430075	DEFLECTION HEAD TRACK 0.75BMT 64mm	3000
CWPG-DT7630075	DEFLECTION HEAD TRACK 0.75BMT 76mm	3000
CWPG-DT9230075	DEFLECTION HEAD TRACK 0.75BMT 92mm	3000
CWPG-DT9230115	DEFLECTION HEAD TRACK 1.15 BMT 92mm	3000



Code	Description	Length(mm)
CWPG-CB254855	CAVITY BATTEN 25mm x 0.55mm	4800
CWPG-CB354855	CAVITY BATTEN 35mm x 0.55mm	4800

FINISHING SECTIONS



Code	Description	Length(mm)
CWPG-EA9024	90 ° EXTERNAL ANGLE -CORNER BEAD	2400
CWPG-EA9025	90 ° EXTERNAL ANGLE -CORNER BEAD	2550
CWPG-EA9027	90 ° EXTERNAL ANGLE -CORNER BEAD	2700
CWPG-EA9030	90 ° EXTERNAL ANGLE -CORNER BEAD	3000
CWPG-EA9036	90 ° EXTERNAL ANGLE -CORNER BEAD	3600

For residential & commercial installations




Code	Description	Length(mm)
CWPG-EA13530	135 °EXTERNAL ANGLE -CORNER BEAD	3000



Code	Description	Length(mm)
CWPG-IA9030	90 °INTERNAL ANGLE -CORNER BEAD	3000



Code	Description	Length(mm)
CWPG-IA13530	135 ° INTERNAL ANGLE -CORNER BEAD	3000



Code	Description	Length(mm)
CWPG-BA5024	ANGLE 50 x 50mm x1.15mm (Bulk Head)	2400
CWPG-BA5030	ANGLE 50mm x 50mm x 0.75mm (Bulk Head)	3000
CWPG-BA5036	ANGLE 50mm x 50mm x 0.75mm (Bulk Head)	3600
CWPG-HAG7533	ANGLE 75mm x 75mm x 3mm (Bulk Head)	3000



Code	Description	Length(mm)
CWPG-LBSA1030	L/B STOPPING ANGLE 10mm	3000
CWPG-LBSA1330	L/B STOPPING ANGLE 13mm	3000
CWPG-LBSA1630	L/B STOPPING ANGLE 16mm	3000
CWPG-LBSA3030	L/B STOPPING ANGLE 32mm	3000

For residential & commercial installations



Code	Description	Length(mm)
CWPG-SB1030	STOPPING BEAD 10mm	3000
CWPG-SB1330	STOPPING BEAD 13mm	3000
CWPG-SB1630	STOPPING BEAD 16mm	3000



Code	Description	Length(mm)
CWPG-CB1030	CASING BEAD 10mm	3000
CWPG-CB1330	CASING BEAD 13mm	3000
CWPG-CB1630	CASING BEAD 16mm	3000



Code	Description	Length(mm)
CWPG-SLSA30	ANGLE STOPPING SHADOWLINE (P50)	3000



Code	Description	Length(mm)
CWPG-RB2530	REVEAL BEAD 25mm	3000
CWPG-RB2536	REVEAL BEAD 25mm	3600
CWPG-RB3030	REVEAL BEAD 30mm	3000
CWPG-RB3036	REVEAL BEAD 30mm	3600
CWPG-RB3530	REVEAL BEAD 35mm	3000
CWPG-RB3536	REVEAL BEAD 35mm	3600
CWPG-RB4030	REVEAL BEAD 40mm	3000
CWPG-RB4036	REVEAL BEAD 40mm	3600
CWPG-RB4530	REVEAL BEAD 45mm	3000
CWPG-RB4536	REVEAL BEAD 45mm	3600

For residential & commercial installations



Code	Description	Length(mm)
CWPG-RB5030	REVEAL BEAD 50mm	3000
CWPG-RB5036	REVEAL BEAD 50mm	3600
CWPG-RB6030	REVEAL BEAD 60mm	3000
CWPG-RB6036	REVEAL BEAD 60mm	3600
CWPG-RB6530	REVEAL BEAD 65mm	3000
CWPG-RB6536	REVEAL BEAD 65mm	3600
CWPG-RB7030	REVEAL BEAD 70mm	3000
CWPG-RB7036	REVEAL BEAD 70mm	3600
CWPG-RB7530	REVEAL BEAD 75mm	3000
CWPG-RB7536	REVEAL BEAD 75mm	3600
CWPG-RB8030	REVEAL BEAD 80mm	3000
CWPG-RB8036	REVEAL BEAD 80mm	3600
CWPG-RB8530	REVEAL BEAD 85mm	3000
CWPG-RB8536	REVEAL BEAD 85mm	3600
CWPG-RB9030	REVEAL BEAD 90mm	3000
CWPG-RB9036	REVEAL BEAD 90mm	3600
CWPG-RB10030	REVEAL BEAD 100mm	3000
CWPG-RB10036	REVEAL BEAD 100mm	3600
CWPG-RB11030	REVEAL BEAD 110mm	3000
CWPG-RB11036	REVEAL BEAD 110mm	3600
CWPG-RB12030	REVEAL BEAD 120mm	3000
CWPG-RB12036	REVEAL BEAD 120mm	3600

For residential & commercial installations




Code	Description
CWPG-AP30S	ACCESS PANEL 300 x 300mm SET BEAD METAL FACE DOOR
CWPG-AP45S	ACCESS PANEL 450 x 450mm SET BEAD METAL FACE DOOR
CWPG-AP60S	ACCESS PANEL 600 x 600mm SET BEAD METAL FACE DOOR



Code	Description
CWPG-AP45F	ACCESS PANEL SRAP-FLANGED SURROUND FEATHERED EDGE 450mm
CWPG-AP60F	ACCESS PANEL SRAP-FLANGED SURROUND FEATHERED EDGE 600mm

MISC



Code	Description	Length(mm)
CWPG-TH50254875	TOP HAT 50mm x 25mm x 0.75mm	4800
CWPG-TH50504875	TOP HAT 50mm x 50mm x 0.75mm	4800
CWPG-TH502536	TOP HAT 50mm x 25mm x 1.15mm	3600
CWPG-TH505036	TOP HAT 50mm x 50mm x 1.15mm	3600



DISTRIBUTOR: 

MELBOURNE BRANCH

- 📍 F2/272-284 FRANKSTON DANDENONG ROAD
DANDENONG SOUTH, VIC 3175
- 📞 MOBILE 0438 657 369
- ✉ Email: sales@abctradeoutlet.com.au

BRISBANE BRANCH

- 📍 2/175 JACKSON ROAD
SUNNYBANK HILLS, QLD 4109
- 📞 MOBILE 0411 923 615
- ✉ Email: brisbane@abctradeoutlet.com.au

KEWARM PTY LTD

Office: F2/272-284 Frankston Dandenong Road, Dandenong South, VIC 3175
Email: info@kewarm.com.au